Rec'd PCT/PTO 08 MAR 2002

5		process of the state of the sta	100	6 .P. C. L. au C					
FORM P	TO-1390	(Modified) U.S. DEPARTMENT	OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER					
,i	TR	ANSMITTAL LETTER	TO THE UNITED STATES	A-7647					
		DĘSIGNATED/ELECTI	ED OFFICE (DO/EO/US)	U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.5)					
	(CONCERNING A FILIN	IG UNDER 35 U.S.C. 371	10/069959					
INTER		ONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED					
TITLE		PCT/EP00/08543 EVENTION	1 September 2000 (01.09.2000)	15 September 1999 (15.09.1999)					
			DIGITAL IMAGE WITH SEVERAL E	BIT PLANES					
			•						
		(S) FOR DO/EO/US	CVPOU						
Chri:	stoph	MEINEL and Serguei KHI	COUDOV						
Appli	aont b	paraurith submits to the United St	ates Designated/Elected Office (DO/EO/US)	the following items and other information:					
1.	⊠	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.							
2. 3.	×								
, ·		This is an express request to begin national examination procedures (35 U S.C. 371(f)). The submission must include itens (5), (6), (9) and (24) indicated below.							
4.			expiration of 19 months from the priority date	e (Article 31).					
5.	$\boldsymbol{\times}$	• •	lication as filed (35 U.S.C. 371 (c) (2))	ational Purcous					
			uired only if not communicated by the Internated by the International Bureau.	ational Bureau).					
î. T			application was filed in the United States Rec	eiving Office (RO/US)					
4	×	- · · · · · · · · · · · · · · · · · · ·	of the International Application as filed (35 U						
Ü		a. 🗵 is attached hereto.							
		b. has been previously su	ibmitted under 35 U.S.C. 154(d)(4)						
7.		Amendments to the claims of the	e International Application under PCT Article	e 19 (35 U.S.C. 371 (c)(3))					
		a. are attached hereto (re	quired only if not communicated by the Intern	ational Bureau).					
ŀ			ted by the International Bureau.						
			owever, the time limit for making such amend	lments has NOT expired.					
		d. have not been made ar		Article 10 (35 H S.C. 371(c)(3))					
8. 9.	∐ ⊠		of the amendments to the claims under PCT ventor(s) (35 U.S.C. 371 (c)(4))						
10.		An oath or declaration of the inventor(s) (35 U.S.C 371 (c)(4)). An English language translation of the annexes to the International Preliminary Examination Report under PCT							
		Article 36 (35 U S.C. 371 (c)(5))).						
11.	×		iminary Examination Report (PCT/IPEA/409)).					
12.	×	A copy of the International Sear	•						
		13 to 20 below concern docume							
13.			tement under 37 CFR 1.97 and 1 98 cording. A separate cover sheet in compliance	e with 37 CFR 3.28 and 3.31 is included					
14. 15.		A FIRST preliminary amendme		With 37 CTR 3.28 and 3.31 is included.					
16.		A SECOND or SUBSEQUEN							
17.		A substitute specification.							
18.		A change of power of attorney a	ınd/or address letter.	3)					
19.			e sequence listing in accordance with PCT Ru						
20.			international application under 35 U.S.C. 154						
21.		• • • • • • • • • • • • • • • • • • • •	nguage translation of the international applica	ation under 35 U S C 154(d)(4).					
22. 23.		Certificate of Mailing by Expre Other items or information:	ss Mail	•					
23.	<u></u>	One hems of intornation.	• •						

JC18 Racid PCT/PTO 0 8 MAR 2002

Ú.S. AÍ	PPLICATION 1	10/069959	INTERNATIONAL APPLIC PCT/EP00/0					OOCKET NUMBER
24.	The foll	lowing fees are submitted:.	<u> </u>			CA	LCULATIONS	PTO USE ONLY
BASIC	C NATIONA Neither inter international	L FEE (37 CFR 1.492 (a) (1) - mational preliminary examination i search fee (37 CFR 1.445(a)(2)) ional Search Report not prepared	n fee (37 CFR 1.482) nor paid to USPTO		\$1040.00			
×	International	preliminary examination fee (37 International Search Report prepare	CFR 1.482) not paid to					
	International	l preliminary examination fee (37 onal search fee (37 CFR 1.445(a)	CFR 1.482) not paid to US	SPTC)			
	International but all claim	preliminary examination fee (37 as did not satisfy provisions of PC	CFR 1.482) paid to USPTO T Article 33(1)-(4)	O 				
	International and all claim	I preliminary examination fee (37 ns satisfied provisions of PCT Art	ticle 33(1)-(4)		\$100.00			
		ENTER APPROPRI				ļ	\$890.00	
month	s from the ear	00 for furnishing the oath or declar rliest claimed priority date (37 C	FR 1.492 (e)).	20		ļ	\$0.00	
	AIMS	NUMBER FILED	NUMBER EXTRA	-	RATE		£0.00	
Total c		19 - 20 =	0	\dashv	x \$18.00 x \$84.00	 	\$0.00 \$0.00	
	ndent claims	2 - 3 =	<u> </u>	- i	X \$64.00	 	\$0.00	
Multip	ne Dependen	t Claims (check if applicable). TOTAL OF	ABOVE CALCULA	$\frac{1}{\mathbf{A}\mathbf{T}}$		 	\$890.00	
	applicant clair educed by 1/2	ms small entity status. See 37 CF					\$445.00	
		A	SU	J B 7	TOTAL =		\$445.00	
		130.00 for furnishing the English rliest claimed priority date (37 C		20) □ 30 +		\$0.00	
	, , , , , , , , , , , , , , , , , , ,		TOTAL NATION	AL	FEE =		\$445.00	
Fee for	r recording th panied by an	e enclosed assignment (37 CFR appropriate cover sheet (37 CFR	1.21(h)). The assignment m 3 28, 3.31) (check if appli	iust icab	be le).		\$0.00	
	TOTAL FEES ENCLOSED =				OSED =		\$445.00	
							ount to be: refunded	\$
							charged	\$
 a. A check in the amount of \$445.00 to cover the above fees is enclosed. b. Please charge my Deposit Account No. in the amount of to cover the above fees. A duplicate copy of this sheet is enclosed 								
c.								
đ.		s are to be charged to a credit card rmation should not be included						
NOTE 1.137(E: Where an (a) or (b)) mu	appropriate time limit under 3 ist be filed and granted to resto	37 CFR 1.494 or 1.495 has ore the application to pend	not ling	been met, a pet status.	ition	to revive (37 Cl	FR
SEND	ALL CORRI	ESPONDENCE TO:			VIII.	<u> </u>	TT	
	hell B. Wass FMAN, WA	on, Esq. SSON & GITLER, PC		(SIGNATURE	<u>~</u>	Was	
	2361 Jefferson Davis Highway			Mitchell B. Wasson				
Suite Arlin	: 522 igton, VA - 22	2202			NAME	-		
	415-0100				27,408			
		-			REGISTRATIO	IN NC	JMBER	
					March 8, 20	02		
	0741	20741			DATE			
cc: 2	20741	PATENT & TRADEMARK OFFICE						

3/PRTS 10069959 JC19 Rec'd PCT/PTO 0 8 MAR 2002

METHOD FOR COMPRESSING A DIGITAL IMAGE WITH SEVERAL BIT PLANES

BACKGROUND OF THE INVENTION

Field of the Invention:

This invention relates to a process for compression of [001] a digital image with video information coded in several bit The invention relates furthermore to a process for transmission of a digital image with video information coded in several bit planes, from the terminal of a sender to the terminal of a recipient.

Discussion of the Prior Art:

The prior art discloses a plurality of different [002] processes for storing digital images, especially photographs and drawings, in a video file which can be read by a computer. All these known processes use compression processes to make the video file as small as possible so that it requires as little storage space as possible in the main memory and on storage media of the Moreover digital images can be transmitted more computer. quickly from the terminal of a sender to the terminal of a recipient, the smaller the video file. The terminals are usually computers, but it is also conceivable to use telephones or the like equipped with the necessary hardware and software. The compression of digital images is important especially in modern medical technology where the images of modern computer diagnostic devices (for example, nuclear spin tomograph, x-ray machine, computer tomograph, etc.) are increasingly in digital form for storage or transmission to other computers.

Some of the processes for compression of a digital image known from the prior art are for example the Windows Bit Map (BMP) format which is used especially by smaller graphics programs which can run under Windows. The PCX format and the Windows Metafile (WMF) format is likewise used by Windows applications, especially for Cliparts and other mapping.

Tagged Image File Format (TIF) process is used by a plurality of graphics programs for storing digital images. The Graphics Interchange Format (GIF) process and the Joint Photographic Experts Format (JPEG) process are used especially on the Internet for transmitting digital images. These known compression processes are generally available in modern browsers which are used for transmission of data files between computers and can be used when necessary.

[004] The BMP, WMF, PIF, GIF format is used for image description. The Huffmann, Shannon, Fano, arithmetic, LZW, LZ77, LZ78, JPEG, fractal, scalar or vector quantization process is used for compression.

Some less common formats for image display of a digital image include the Computer Graphics Metafile (CGM) process, the Encapsulated Postscript (EPSI/EPSF) process, the Group-4-Type 1 (G4 CCITT) process, the Portable Bitmap (PBM) process, the Portable Greymap (PGM) process, the Portable Network Graphics (PNG) process, the Portable Pixmap (PPM) process, the Silicon Graphics (RGB) process, the Sun Raster (SUN) process and the Group-4-Type-II (TG4 CCITT) process. Detailed information on the topic of compression of digital images can be taken from the http://www.cs.cmu.edu/~guyb/realthe page world/compress/index.html (status 9/13/99, last changed 7/21/99).

[006] Each of these known processes for compression of a digital image for certain digital images achieves an especially high compression rate, while for other images it is less well suited. The GIF process is used preferably for drawings and artistic renderings. In the GIF process, the digital images are compressed via a change of the color or gray level information and not via the actual colors or gray levels. That is, the compressed video file is smaller, the fewer color and gray level changes the digital image contains, i.e. the larger the areas of the same color or gray level it contains. The GIF process works with 8-bit definition (color or gray level depth) per pixel. Based on this relatively low definition, it can happen, especially for photographic images, in the compressed video file

that certain colors or gray levels are blurred or are built up from several colors or gray levels of the available palette; this can be recognized for a viewer of the compressed image in the Since the GIF process relative coarse grain of the picture. stores the information of a digital image via changing the colors or gray levels, when a photograph is compressed with highdefinition changing of the colors or gray levels or with numerous colors or gray levels a major increase in the size of the compressed video file can occur. More detailed information on found on the Internet on GIF process can be http://www.rit.edu/~mpb9954/mmwww/GIFComp.htm (status 9/1/99, last changed on 9/22/97) and the page http://www.cs.cmu.edu /~guyb/real-world/compress/index.html (status 9/13/99, changed on 7/21/99).

The JPEG process is used preferably for photographs or [007] other high definition images. In contrast to the GIF process, the JPEG process at a high level of fine detail leads to a relatively high compression rate. In any case, the JPEG process does not work as efficiently in digital images which contain large areas of the same color or gray level, since it adds additional information within and around these surfaces, allowing the image to appear unclean. More detailed information on the found on the Internet process can be http://www.rit.edu/~mpb9954/mmwww/JPEGComp.htm (status 9/1/99, and changed on 9/22/97) the last http://www.cs.cmu.edu/~guyb/real-world/compress/index.html (status 9/13/99, last changed on 7/21/99).

[008] Comparison of these two compression processes taken for example from known compression processes clearly shows that certain compression processes for certain digital images can achieve a better compression rate than for other digital images. Since digital images generally have image areas of any configuration (for example, large areas of the same color or gray level on the one hand and high-definition changes and many colors or gray levels on the other), the choice of a single compression process for a digital image generally represents only a compromise for a digital image.

- [009] For this reason, in the prior art, so-called adaptive compression processes are used which analyze the image areas of a digital image for its configuration and depending on the analysis results for different areas of the image, use different compression processes.
- [010] Three different adaptive compression processes are known from the prior art:
- [011] The first group of adaptive compression processes contains local adaptive algorithms. The digital image is first segmented into non-overlapping image areas. Accordingly, each area is coded by a suitable compression process with which a compression rate as high as possible can be achieved with minimum loss of information, or even without loss of information.
- [012] The second group contains algorithms which, depending on the local properties of the image, change their parameters, for example the code book in vector quantization or the parameters of the quantization matrix in the JPEG process or in Huffmann coding. The digital image is then coded by a compression process with locally varying parameters.
- [013] The third group contains algorithms which determine the global properties of the image and based on these global properties choose the most effective compression process. Accordingly the entire digital image is coded by the chosen compression process.
- [014] It is common to all these adaptive compression processes known from the prior art that the digital image to be compressed is segmented into several local image areas and the different compression processes are then applied to the individual image areas.

SUMMARY OF THE INVENTION

[015] The object of this invention is to devise a novel process for compression of a digital image which enables compression as efficient as possible for digital images of any configuration, i.e. with as little computer cost as possible can achieve a compression rate as high as possible.

[016] To achieve this object, proceeding from the process of the initially mentioned type, the present invention proposes a process which is characterized by the following steps:

- analysis of the bit planes of the digital image;
- subdivision of the bit planes of the digital image into several bit plane areas which each have at least one bit plane;
- division of the digital image into several bit plane area images which each have one of the bit plane areas;
- selection of a certain compression process for each bit plane area image; and
- compression of the individual bit plane area images with the compression process chosen at the time.

[017] The digital image to be compressed is not, as is known from the prior art, segmented into several image areas which each have the same bit planes as the digital image. Therefore it is not the contents of the digital image which are analyzed, but rather its bit planes.

[018] The bit planes of the digital image are subdivided depending on the analysis results into several bit plane areas. The digital image is divided into several bit plane area images which each comprise one of the bit plane areas. For each bit plane area image, depending on the result of analysis of the bit planes of the digital image, a certain compression process is chosen.

[019] The bit planes of the digital image can be analyzed for example with respect to a compression rate as high as possible, loss of image content in the reconstructed image as low as

possible, or computer costs a low as possible. The compression methods used are preferably chosen from the conventional compression processes ordinarily contained in a browser. Finally, the individual bit plane area images are compressed with the compression process chosen at the time.

Using analysis of the bit planes of the digital images to be compressed, the bit planes are thus subdivided into certain bit plane areas, the digital image is divided into certain bit plane area images and for each bit plane area image, a suitable compression process is chosen. The process as claimed in the invention for compression of a digital image enables especially efficient compression of the digital image. With a comparatively low computer cost, especially high compression rates with extremely low or even no loss at all of image contents can be achieved.

According to one advantageous development of this [021] invention it is proposed that the image planes of the digital image are subdivided into two bit plane areas and the digital image is divided into two bit plane area images. For the first bit plane area which comprises the high-order bit planes, the GIF compression process chosen, and for the second bit plane area which comprises the low-order bit planes, the JPEG compression process is chosen and the bit plane area images are compressed with the compression process is chosen at the time. The GIF and JPEG processes are two compression processes which as already explained, complement one another especially well. Where one compression process has disadvantages, the other compression process works especially well and vice versa. By using these two compression processes an especially efficient compression of a digital image is enabled. Moreover, the GIF and JPEG compression processes are conventional compression processes which are contained in almost any modern browser are can be retrieved there at any time.

[022] By analyzing the bit planes of the digital image and dividing the digital image into bit plane area images an especially efficient division of the digital image into areas which are compressed with the GIF compression process, and into

areas which are compressed with the JPEG compression process, becomes possible. This efficient division of the digital image could not be achieved by simple analysis of the image contents of the digital image. In the high-order bit planes, mainly the image contents of the digital image, and in the low-order bit planes mainly the noise of the digital image are contained. The high- order bit planes are compressed with the GIF process and the low-order bit planes including the noise are compressed with the JPEG process.

[023] According to one preferred embodiment of this invention, it is proposed that the analysis of the bit planes of the digital image comprises the following steps:

- division of the digital image into several bit plane images which each comprise one bit plane;
- generation of analysis images by superposition of several bit plane images, beginning at the bit plane images which comprise the two highest-order bit planes, for the first analysis image and by addition of the bit plane image which comprises the next lower bit plane for each additional analysis image;
- segmentation of the analysis images into segments which each have the same pixel values;
- determination of the areas of the segments;
- finding the average of the segment areas of one analysis image;
- determining the compression factor as a function of the average of the segment areas when using a certain compression process;
- determination of the analysis image in which the compression factor when using a certain compression process is greater than a given boundary value factor; and
- determination of the bit plane areas as a function of those bit planes which are comprised by the determined analysis image.

[024] Advantageously, proceeding from the analysis image which comprises the bit plane images with the highest-order bit planes, that analysis image is determined in which the compression factor when using a certain compression process is greater than 10. This applies especially to the LZW process according to which the digital images are compressed in the GIF format.

[025] The individual analysis images are segmented into segments which each have the same pixel values, i.e. the same colors or gray levels. If the areas of the segments of one analysis image have a relatively large area, a compression process which is designed for large area digital images of the same color or gray level, such as for example the GIF process, is much better suited for compression of this analysis image than a compression process which is designed for high-definition digital images with a high level of fine detailing and a host of different colors and gray levels, such as for example the JPEG process.

The process according to this embodiment enables [026] division of the digital image into several bit plane area images which comprise exactly those bit planes of the digital image such that they are compressed when using a suitable compression process with a compression factor which is greater than a given boundary value factor, preferably greater than 10. compression factor of certain compression processes, for example of the GIF compression process, is dependent on the average of the segment surfaces of the analysis images, the compression factor in this embodiment can be quickly and reliably determined with great ease. Preferably the bit planes of the digital image are subdivided into bit plane areas such that when using a certain compression process, a compression factor greater than If several compression processes achieve a 10 is achieved. compression factor greater than 10, that process is determined which has the lowest computation cost or the highest compression factor.

[027] According to another preferred embodiment of this invention it is proposed that before compressing the first bit plane area image which comprises the high-order bit planes, the direction of the GIF compression process is determined with which the highest compression rate can be achieved. The direction of the GIF compression process is preferably determined using the following steps:

- division of the digital image into several bit plane images
 which each comprise one bit plane; and
- generation of analysis images by superposition of several bit plane images, beginning at the bit plane images which comprise the two highest-order bit planes, for the first analysis image, and by adding the bit plane image which comprises the next lower bit plane for each additional analysis image;
- segmentation of the analysis images into segments which each have the same pixel values;
- determination of the vertical side lengths and of the horizontal side lengths of the segments;
- finding the average of the vertical side lengths and the horizontal side lengths of one analysis image;
- comparison of the average of the vertical side lengths to the average of the horizontal side lengths of one analysis image; and
- determination of the direction of the GIF compression process from the result of comparison of the averages of the side lengths.

[028] According to one advantageous development of this invention, it is proposed that the second bit plane area image which comprises the low-order bit planes, is classified before compression into an object area and into a background area. The object area comprises one or more objects which are to be represented in the digital image. The background area is independent of the object to be represented or each such object, and has no effect on the representation of the object. Without

loss of quality of the reconstructed image, the compression factor of the compression process can be increased when the background is simplified, i.e. has lower definition and/or fewer colors or gray levels.

[029] According to one preferred embodiment of this invention, it is proposed that the classification of the second bit plane image area is done using the following steps:

- segmentation of the first bit plane area image which comprises the high-order bit planes into a plurality of pixel blocks;
- segmentation of the pixel blocks into segments which each have the same pixel values;
- determination of the number of different segments with different pixel values within a pixel block;
- classification of a pixel block as the object region if the pixel block contains different segments;
- otherwise, classification of the pixel block as the background area; and
- classification of the second bit plane area image which comprises the low-order bit planes into the corresponding object area and background area.

[030] According to another preferred embodiment of this invention, the background area of the second bit plane area image which comprises the low-order bit planes is replaced by a background consisting of square pixel blocks, all pixels of a pixel block having the same pixel value. The values of all pixels of a pixel block are advantageously equivalent to the average of the pixel values of the pixel block. Preferably the background area is replaced by a background consisting of pixel blocks with a size of 8 x 8 pixels. By these measures for simplification of the background region, the compression factor of the JPEG compression process can be further increased without loss of quality of the image information of the reconstructed image.

[031] According to another advantageous development of this invention, it is suggested that before compressing the second bit plane area image which comprises the low-order bit planes the parameter Q for the JPEG compression process is determined.

[032] According to one preferred embodiment of this invention it is proposed that the parameter Q is determined depending on the number of bit plane images of the second bit plane area image which contain video information.

[033] It is furthermore suggested that the parameter Q is advantageously determined using the following steps:

- division of the digital image into several bit plane images
 which each comprises one bit plane of the digital image;
- segmentation of the bit plane images of the second bit plane area image which comprises the low-order bit planes into segments which each have the same pixel values;
- determination of the areas of the segments;
- finding the average of the segment areas of a bit plane image; and
- proceeding from the highest-order bit plane image of the second bit plane image area, determination of the number of bit plane images, in which the difference of the average of the segment area of this bit plane image and of the average of the segment areas of the lowest-order bit plane image is greater than 10% of the average of the segment areas of the lowest-order bit plane image.

[034] The relationship between the determined number of bit plane images and the parameter Q is computed by static modelling for each JPEG version.

[035] According to another advantageous development of this invention, it is proposed that the bit plane area images compressed with different compression processes are combined into a compressed video file, in the header lines of which information about the size of the individual bit plane area images is written. The header line therefore contains information about where the boundaries between the individual bit areas were drawn during compression.

[036] Advantageously, into the header lines of the video file information is also written about which bit plane area image was compressed with which compression process. Using the information written into the header line a compressed video file can be easily broken down at a later time again into compressed bit plane area images and the individual bit plane area images can be decompressed with the corresponding decompression process.

[037] Another object of this invention is to devise a process for transmission of a digital image of the initially mentioned type which enables transmission of the digital image as fast as possible for digital images of any form, i.e. in photographs as well as in drawings.

[038] To achieve this object, proceeding from the process for transmission of a digital image of the initially mentioned type, the invention suggests a process which is characterized by the following steps:

- compression of the digital image on the computer of the sender using a process in which header lines include information about the size of individual bit plane area images as well as information about which bit plane area image was compressed with which compression process;
- transmission of the compressed video file from the terminal of the sender to the terminal of the recipient;
- reception of the compressed video file on the terminal of the recipient;
- analysis of the header line of the compressed video file on the terminal of the recipient;
- breakdown of the compressed video file into compressed bit plane area images;
- decompression of the bit plane area images with the corresponding decompression processes on the terminal of the recipient; and
- superposition of the decompressed bit plane area images onto the digital image on the terminal of the recipient.

[039] According to one advantageous development of this invention, it is proposed that with the compressed video file, a software program which can run on the terminal of the recipient is also transmitted which analyzes the header line of the compressed video file, controls the breakdown of the compressed video file and the decompression of the compressed bit plane area images and executes superposition of the decompressed bit plane area images onto the digital image.

[040] Advantageously the software program is made as Java applet which can run in the browser of the terminal of the recipient.

BRIEF DESCRIPTION OF THE DRAWINGS

- [041] One preferred embodiment of this invention is detailed below using the drawings.
- [042] FIGURE 1 shows a flowchart of the process of the present invention for compression of a digital image according to one preferred embodiment;
- [043] FIGURE 2 shows the division of the digital image into several analysis images;
- [044] FIGURE 3 shows the segmentation of the analysis images;
- [045] FIGURE 4 shows the division of the digital image into two bit plane area images.

DETAILED DESCRIPTION OF THE INVENTION

- [046] The process as claimed in the invention is an adaptive compression process for digital images with video information coded in several bit planes. Different than the compression processes known from the prior art, the contents of the digital image are not analyzed. Therefore, the digital image to be compressed is not segmented into several image areas with each having the same bit planes as the digital image. Rather the digital image in the process of the present invention is analyzed using its bit planes, and then, depending on the analysis result, suitable compression processes for certain bit planes are selected.
- [047] A flow chart of the process as claimed in the invention is shown in Figure 1. The digital image DB (block 1) to be compressed is the recording of a computer diagnostic device from medicine. The digital image DB has twelve bit planes BE in which the video information is coded, i.e. each pixel of the digital image DB has 12 bits. The processes executed subsequently in

block 2 are detailed in Figure 2 for explanation. In block 2, the digital image DB is divided into twelve bit plane images BEB which each comprise one bit plane BE. Then analysis images AB are generated from the bit plane images BEB. To generate the first analysis image AB1, the two bit plane images BEB1 and BEB2 are superimposed with the highest-order bit planes BE1 and BE2. For the next analysis image AB2 the bit plane image BEB3 with the next lower bit plane BE3 is superimposed on the first analysis image AB1. To generate the other analysis images AB3 to AB11 the process proceeds in a similar manner such that finally eleven analysis images AB are generated from the twelve bit plane images BEB.

Then, in block 3 the analysis images are segmented into segments which each have the same pixel values, i.e. the same color or gray level. This process is shown in greater detail in Figure 3 for explanation. As shown in the left portion of Figure 3, an analysis image AB is taken, for example, and an area of the analysis image AB on the right is shown enlarged. The individual segments in this area are identified with S1 to S9. Then, still in block 3, the areas of the individual segments are determined. The segment S1 has for example an area of 7 and segment S8 an area of 34. Finally, the averages of the segment areas of each analysis image AB are formed.

[049] There is a relationship between the average value of the segment surfaces and the compression factor of the GIF compression process. Based on this relationship, in blocks 4 to 6, beginning at the highest-order bit plane, the number n of bit planes BE is computed in which the condition that the compression factor in the compression of an analysis image AB with a certain compression factor is greater than 10 is still correct.

[050] The blocks 4 to 6 yield a boundary value on which the bit planes BE of the digital image DB are divided into a low-order bit plane area and into a high-order bit plane area. The digital image DB is then divided into a first bit plane area image BEBB1 which comprises the bit plane area with the high-order bit planes BE1 to BE4, (block 7) and into a second bit plane area image BEBB2 which comprises the bit plane area with

the low-order bit planes BE5 to BE12 (block 8). The first bit plane area image BEBB1 corresponds to the analysis image A3 which comprises the bit plane images BEB1 to BEB4 with the corresponding bit planes BE1 to BE4. The second bit plane area image BEBB2 corresponds to the difference of the digital image DB and the first bit plane area image BEBB1. The division of the digital image DB into the first and the second bit plane area image BEBB1 and BEBB2 is illustrated in Figure 4. For the first bit plane area image BEBB1 the GIF compression process is selected and for the second bit plane image area BEBB2, the JPEG compression process.

In block 9 the direction of the GIF compression process with which the highest compression rate can be achieved is determined. To do this, the vertical side lengths and the horizontal side lengths of the segments of the analysis images AB are determined (compare Figure 3). The segment S1 has for example a vertical side length (height) of 2 and a horizontal side length (width) of 4 and the segment S8 has a height of 4 and a width of 12. Then the average value of the vertical side lengths and of the horizontal side lengths of each analysis image AB is formed. From comparison of the average of the vertical side lengths to the average of the horizontal side lengths of each analysis image AB, finally the direction of the GIF compression process is formed.

[052] In the blocks 10 to 12 the number k of bit planes BE of the second bit plane area image BEBB2 which contain video information is determined. It is assumed that the bit plane BE contains video information when the peak signal-to-noise ratio (PSNR) is greater than 40 dB, i.e. when the difference between the average value of the segment areas of this bit plane image BEB and the average of the segment area of the lowest-order bit plane image BEB12 is less than 10% of the average of the segment areas of the lowest-order bit plane image BEB12. Proceeding from the highest-order bit plane of the second bit plane area image this is checked in block 11.

[053] In block 13 the parameter Q for the JPEG process is determined. The parameter Q is determined depending on the number k of bit planes BE5 to BE12 of the second bit plane area image BEBB2 which contain video information.

Then, the second bit plane area image BEBB2 in block 14 is classified into an object area and into a background area. To do this, the first bit plane area image BEBB1 is segmented into a plurality of pixel blocks. The pixel blocks are for their part segmented into segments which each have the same pixel values. Then the number of different segments with different pixel values is determined within one pixel block at a time. One pixel block is classified as an object area if the pixel block contains different segments with two or more different pixel values. Otherwise, the pixel block is classified as a background area. The second bit plane area image BEBB2 is then classified into a corresponding object area and a background area.

[055] To increase the compression rate, the background area is replaced by a background consisting of quadratic pixel blocks with a size of 8 x 8 pixels. All pixels of a pixel block have the same pixel value, specifically the average of the pixel values of the pixel block.

In block 15 the first bit plane area image BEBB1 in the direction determined in block 9 is compressed with the GIF compression process. Likewise, in block 16 the second bit plane area image BEBB2 is compressed with the parameter Q determined in block 13 and the background area which is simplified in block 14 with the JPEG compression process. The compressed bit plane area images are combined in block 17 into a compressed video file (block 18). In the header line of the compressed video file, information about the size of the individual bit plane area images and about the compression processes applied to the individual bit plane area images BEBB is written.

CLAIMS

1. A process for the compression of a digital image (DB) with video information coded into several bit planes (BE), comprising the steps of:

analyzing the bit planes (BE) of the digital image (DB);

subdividing the bit planes (BE) of the digital image (DB) into several bit plane areas which each have at least one bit plane (BE);

dividing the digital image (DB) into several bit plane area images (BEBB) which each have one of the bit plane areas;

selecting a certain compression process for each bit plane area image (BEBB); and

compressing the individual bit plane area images (BEBB) with the compression process chosen at the time.

- 2. The process as claimed in claim 1, wherein said subdividing step subdivides said bit planes of the digital image into a first high-order bit plane and a second low-order bit plane, and further wherein said compressing step compresses said first high-order bit plane utilizing the GIF compression process and compresses said second low-order bit plane utilizing the JPEG compression process.
- 3. The process as claimed in claim 1, wherein said analyzing step comprises the steps of:

dividing said digital image (DB) into several bit plane images (BEB) which each comprise one bit plane (BE);

generating analysis images (AB) by superposition of several of said bit plane images (BEB), beginning at the bit plane images (BEBB1, BEBB2) which comprise the two highest-order bit planes (BE), for a first analysis image (AB1) and by addition of said bit plane images (BEB3...BEB12) which comprises the next lower bit plane (BE3...BE12) for each additional analysis image (AB2...AB11);

segmenting said analysis images (AB) into segments (S) which each have the same pixel values;

determining the areas of said segments (S);

finding the average of said segment areas of one analysis image (AB);

determining a compression factor as a function of the average of the segment areas when using a certain compression process;

determining the analysis image (AB) in which the compression factor when using a certain compression process is greater than a given boundary value factor; and

determining the bit plane areas as a function of those bit planes (BE) which are comprised by the determined analysis image (AB).

- 4. The process as claimed in claim 3, wherein said step of determining the analysis image utilizes a compression factor great than 10.
- 5. The process as claimed in claim 2, wherein before compressing said first high-order bit plane, the direction of said GIF compression process is determined with which the highest compression rate can be achieved.
- 6. The process as claimed in claim 5, wherein the direction of said GIF compression process is determined using the following steps:

dividing the digital image (DB) into several bit plane images (BEB) which each comprise one bit plane (BE);

generating analysis images (AB) by superposition of several bit plane images (BEB), beginning at the bit plane images (BEB1, BEB2) which comprise the two highest-order bit planes (BE1, BE2), for the first analysis image (AB1), and by adding the bit plane image (BEB3...BEB12) which comprises the next lower bit plane (BE3...BE12) for each additional analysis image (AB2...AB11);

segmenting said analysis images (AB) into segments (S) which each have the same pixel values;

determining the vertical side lengths and the horizontal side lengths of said segments (S);

finding the average of the vertical side lengths and the horizontal side lengths of one analysis image (AB);

comparing said average of the vertical side lengths to the average of the horizontal side lengths of each analysis image (AB); and

determining the direction of said GIF compression process from the result of the comparison of the averages of the side lengths.

- 7. The process as claimed in claim 2, wherein said second low-order bit plane is classified before compression into an object area and into a background area.
- 8. The process as claimed in claim 7, wherein the classification of said second low-order bit plane image area (BEBB2) is done using the following steps:

segmenting said first high-order bit plane area image into a plurality of pixel blocks;

segmenting said pixel blocks into segments which each have the same pixel values;

determining the number of different segments with different pixel values within a pixel block;

classifying a pixel block as the object region if the pixel block contains different segments;

classifying the pixel block as the background area if said pixel does not contain different segments; and

classifying said second low-order bit plane area image (BEBB2) into the corresponding object area and background area.

9. The process as claimed in claim 7, wherein the background area of said second low-order bit plane area image (BEBB2) is replaced by a background consisting of square pixel blocks, all pixels of a pixel block having the same pixel value.

- 10. The process as claimed in claim 9, wherein the pixel values of all pixels of a pixel block are equivalent to the average of the pixel values of the pixel block.
- 11. The process as claimed in claim 9, wherein the background area is replaced by a background consisting of pixel blocks with a size of 8×8 pixels.
- 12. The process as claimed in claim 2, wherein before compressing said second low-order bit plane area image (BEBB2) the parameter Q for the JPEG compression process is determined.
- 13. The process as claimed in claim 12, wherein said parameter Q is determined depending on the number of bit plane images (BEB) of said second low-order bit plane area image (BEBB2) which contain video information.
- 14. The process as claimed in claim 13, wherein said parameter Q is determined using the following steps:

dividing said digital image (DB) into several bit plane images (BEB) which each comprises one bit plane (BE) of the digital image (DB);

segmenting said bit plane images (BEB) of said second low-order bit plane area image (BEBB) into segments (S) which each have the same pixel values;

determining the areas of said segments (S);

finding the average of the segment areas of a bit plane image (BEB) of the bit plane area image (BEBB2); and

proceeding from the highest-order bit plane image (BEB) of the second bit plane image area (BEBB2), determining the number of bit plane images (BEB), in which the difference of the average of the segment areas of this bit plane image (BEB) and the average of the segment areas of the lowest-order bit plane image (BEB12) is greater than 10% of the average of the segment areas of the lowest-order bit plane image (BEB12).

- 15. The process as claimed in claim 1, wherein said bit plane area images (BEBB) compressed with different compression processes are combined into a compressed video file having header lines, said header lines including information about the size of the individual bit plane area images (BEBB).
- 16. The process as claimed in claim 15, wherein said header line of the compressed video file includes information about which bit plane area image (BEBB) was compressed with which compression process.
- 17. The process for transmission of a digital image (DB) with video information coded in several bit planes (BE) from the terminal of a sender to the terminal of a recipient, including the steps of:

compressing the digital image (DB) on the terminal of the sender to provide a compressed video file including at least one header line;

transmitting said compressed video file from the terminal of the sender to the terminal of the recipient;

receiving said compressed video file on the terminal of the recipient;

analyzing the header line of said compressed video file on the terminal of the recipient;

breaking down said compressed video file into said compressed bit plane area images;

decompressing bit plane area images with said decompressing step accomplished on the terminal of the recipient; and

superpositioning the decompressed bit plane area images (BEBB) onto the digital image (DB) on the terminal of the recipient.

18. The process as claimed in claim 17, further including the steps of:

transmitting a software program along with said compressed video file for running on the terminal of the recipient;

analyzing said header line of said compressed video file for controlling the breakdown of said compressed video file and the decompression of compressed bit plane area images; and

executing the superposition of said decompression bit plane area images onto the digital image.

19. The process as claimed in claim 18, wherein said software program is a Java applet which can run in the browser of the terminal of the recipient.


-24-

ABSTRACT


The invention relates to a method of compressing a digital image (DB), whose image information is encoded on several bit planes (BE). The invention provides an adaptive compression method which allows the most efficient compression possible for digital images with any configuration. The method comprises the steps of analyzing the bit planes (BE) of the digital image (DB) into several bit plane areas, each containing at least one bit plane (BE), dividing the digital image (DB) into several bit plane areas images (BEBB), each containing one of the bit plane areas (block 7; block 8), selecting a specific compression method for each bit plane area image (BEBB), and compressing the individual bit plane area images (BEBB) using the respective compression method which has been selected (block 15; block 16).


1 / 3

4.4




2 / 3





3 / 3



toosgasa?%se

I acknowledge the duty to disclose information which is material

to patentability as defined in Title 37, Code of Federal

Approved for use through 9/30/98. OMB 0651-003: Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Declaration and Power of Attorney for Patent Application Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:	As a below named inventor, I hereby declare that:		
daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend	My residence, post office address and citizenship are as stated next to my name.		
nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für ein Patent für die Erfindung mit folgendem Titel beantragt wird:	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:		
	METHOD FOR COMPRESSING A DIGITAL IMAGE WITH SEVERAL BIT-PLANES		
deren Beschreibung hier beigefligt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung	the specification of which is attached hereto unless the following box is checked:		
wurde angemeldet amunter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) und am abgeändert (falls zutreffend).	was filed onas United States Application Number or PCT International Application Numberand was amended on(if applicable).		
ch bestätige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.		

[Page 1 of 3]

Regulations, § 1.56.

zur Offenbarung jeglicher

meine

Pflicht

Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind.

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time—you are required to complete this form should be sent to the Chief Information Officer, Patent—and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED—FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/103 (8-96

Approved for use through 9/30/98. OMB 0651-003
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

German Language Declaration

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderurkunden, oder §365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen sämtliche Auslands- anmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

I hereby claim foreign priority under Title 35, United States Code, \$119(a)-(d) or \$ 365(b) of any foreign application(s) for patent or inventor's certificate, or \$ 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

beansprucit wird, vorang	gent.		
Prior Foreign Applicatio (Frühere ausländische A			Priority Not Claimed Priorität nicht beansprucht
199 44 213.4 (Number) (Nummer)	GERMANY (Country) (Land)	15 September 1999 (Day/Month/Year Filed) (Tag/Monat/Jahr der Anmeldung)	
PCT/EP00/08543 (Number) (Nummer)	(Country) (Land)	1 September 2000 (Day/Month/Year Filed) (Tag/Monat/Jahr der Anmeldung)	
	Prioritätsvorteile unter Title 35, US-Code, ameldungen wie unten aufgezählt.	I hereby claim the benefit under Ti § 119(e) of any United States provi	
(Application No) (Aktenzeichen)	(Filing Date) (Anmeldetag)		
zustehenden Vorteile al bzw. § 365(c) aller F Vereinigten Staaten von Gegenstand eines jeder nicht in einer US-P Anmeldung in in einer g § 112 vorgeschriebenen zur Offenbarung jeglich Patentfähigkeit in Einkla § 1.56 von Belang sind der früheren Patentanme Vertrags über die Zusa	(Filing Date) (Anmeldetag) t die mir unter Title 35, US-Code, § 120 ler unten aufgeführten US-Patentanmeldungen PCT internationalen Anmeldungen, welche die Amerika benennen, und erkenne, insofern der früheren Anspruchs dieser Patentanmeldung atentanmeldung, bzw. PCT internationalen emäß dem ersten Absatz von Title 35, US-Code, Art und Weise offenbart wurde, meine Pflicht ner Informationen an, die zur Prüfung der ng mit Title 37, Code of Federal Regulations, und die im Zeitraum zwischen dem Anmeldetag ldung und dem nationalen oder im Rahmen des mmenarbeit auf dem Gebiet des Patentwesen nalen Anmeldetags bekannt geworden sind.	United States application(s), or application designating the United subject matter of each of the claim the prior United States or PCT I provided by the first paragraph of acknowledge the duty to disclopatentability as defined in Title 3'	tle 35, United States Code, § 120 of any § 365(c) of any PCT International States, listed below and, insofar as the so of this application is not disclosed in international application in the manner Title 35, United States Code, § 112, 1 so information which is material to 7, Code of Federal Regulations, § 1.56 te filing date of the prior application and ling date of this application.
(Application No) (Aktenzeichen)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, abandor (Status) (patentiert, schwebend, aufg	
(Application No) (Aktenzeichen)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, abandor (Status) (patentiert, schwebend, aufg	
	alle in der vorliegenden Erklärung von mir bestem Wissen und Gewissen der Wahrheit		made herein of my own knowledge are n information and belief are believed to

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control numb

German Language Declaration

VERTRETUNGSVOLMACHT: Als benannter Erfinder beaustrage ich hiermit den (die) nachstehend aufgeführten Patentanwalt (Patentanwälte) und/oder Vertreter mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor US-Patent-und Markenamt: (Name(n) Registrationsnummer(n) auflisten)

> Mitchell B. Wasson Martin P. Hoffman Stewart L. Gitler Christopher J. McDonald

Reg. 22,261 Reg. 31,256 Reg. 41,533

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Mitchell B. Wasson Martin P. Hoffman Reg. 22,261 Reg. 31,256 Christopher J. McDonald

Postanschrift:

HOFFMAN, WASSON & GITLER, PC 2361 Jefferson Davis Highway

Suite 522 Arlington, Virginia

Telefonische Auskünfte: (Name und Telefonnummer)

Mitchell B. Wasson (703) 415-0100

Send Correspondence to: HOFFMAN, WASSON & GITLER, PC 2361 Jefferson Dayls Highway

Sulte 522

Arlington, Virginia 22202

Direct Telephone Calls to: (name and telephone number)

Mitchell B. Wasson (703) 415-0100

V. I.				
Vor- und Zuname des einzigen oder ersten Erfinders	Full name of sole or first inventor			
	Christoph MEINEL			
Unterschrift des Erfinders Datum	Inventor's signature Date			
W.I.	25.2.0	2		
Wohnsitz	Residence			
	GERMANY			
Staatsangehörigkeit	Citizenship			
	GERMAN			
Postanschrift	Post Office Address			
	Am Hohlwerg 16			
	54317 Gusterath GERMANY			
Vor- und Zuname des zweiten Miterfinders (falls zutreffend)	Full name of second joint inventor, if any			
	Serguei KHLOUDOV			
Unterschrift des zweiten Erfinders Datum	Second Inventor's signature Date			
	4,03.02			
Vohnsitz	Residence			
	GERMANY			
Staatsangehörigkeit	Citizenship			
	GERMAN			
Postanschrift	Post Office Address Kleeburger Weg 2 54296 Irier GERMANY			

(Im Falle dritter und weiterer Miterfinder Miterfinder sind die entsprechenden Informationen und Unterschriften hinzuzufügen.)

(Supply similar information and signature for third and subsequent joint inventors.)